

1400 Industrial Way, Redwood City, CA 94063 P: 800.800.5655 F: 650.556.2240

## Panic Notification Form Processing - Patients and Employees

Panic Results include test results considered life-threatening. CLIA §493.1291(g) regulation requires laboratories to "immediately alert the individual or entity requesting the test and, if applicable, the individual responsible for using the test results when any test result indicates an imminently life-threatening condition."

	eatening) results for my patien	
		ts to be called (select only one option below).  ave their Medical Director sign the following statement.
Option Option Option	2: During normal busines	s hours only
I am requesting to be not abCheck. I decline to pro- accept full responsibility a	ovide Ascend Clinical with an a and hold Ascend Clinical, its dire	below this statement.  by electronic means through the Critical Results reporting system of fter-hours phone number for the purpose of calling life-threatening results. I ector, agents and employees harmless from any and all liability resulting my refusal to accept called life-threatening results 24 hours per day."
NOTE: Medical Director s	ign here <b>ONLY IF</b> you chose O	otion 2 or 3 above. Otherwise please sign page 2 of this form.
Medical Director Signatu	ure:	
Print Name:		Date:
Please list titles of employ	and Patient Panic Results:  yees whom you designate to re  ninistrative Staff and the clinic?	eceive panic results for patients i.e., Clinical Manager, Charge Nurse, Patiens normal business hours.
		not immediately available, PATIENT RESULTS will be provided to the staff aff receiving these results to notify the appropriate caregiver at the facility.
Designated Employee	e:	Title:
Designated Employee	e:	Title:
Business Hours:		Phone Number:
After-Hours Procedure (	outside normal business hour	5):
provided and in working o		poerson below. A cell phone, pager or answering service number must be ert you about an imminently life-threatening condition. You must provide his form.
Name and Title:		
Name and Title: Cell Phone/Page	<del></del>	

## **Employee Panic Results:**

Employee panic results will only be called to a Facility Administrator, Clinical Manager or Medical Director.

Version Date: 01/2020 Page 1 of 2



## **Panic and Absurd Values**

Below is a list of Ascend Clinical defined panic and absurd values. You may request certain Custom Panic values but those requests must be approved by your Medical Director and our Quality Assurance Department. **NOTE: Tests with absurd values (\*) will not be called but will appear on your "Patient Panic and Critical Report" in LabCheck.** 

Test	Absurd Low* ≤	Panic Low <u>&lt;</u>	Panic High <u>&gt;</u>	Absurd High* <u>&gt;</u>	Custom Panic Low <u>≤</u>	Custom Panic High ≥
Aluminum (ug/L)			60			
Calcium, Total (mg/dL)			14.1			
Calcium, Adj. Total (mg/dL)			14.1			
Carbamazepine, Total (mg/L)			20.0		Not Available	
Culture, Blood		Positive			Not Available	
Culture, Effluent		Positive			Not Available	
Culture, Fungal		Positive			Not Available	
Cyclosporine, as Trough (ng/mL)			600		Not A	vailable
Digoxin (ng/mL)			2.6			
Glucose (mg/dL)		39	601			
Hemoglobin (g/dL)	2.9*	6.0		20.0*		
Lithium (mEq/L)			2.0		Not A	vailable
Phenobarbital (mg/L)			60.0		Not A	vailable
Phenytoin (Dilantin), Free (mg/L)			3.1		Not A	vailable
Phenytoin (Dilantin), Total (ug/mL)			20.1			
Phosphorus (mg/dL)		0.9				
Platelet Count (K/uL)		20	1000			
Potassium (mEq/L)	1.4*	2.4	7.1			
Potassium, Post (mEq/L)	1.4*	2.4	5.5			
PT INR			7.00			
Sirolimus (Rapamycin) (ug/L)		2.9			Not A	vailable
Sodium (mEq/L)	79*	119	161	181*		
Tacrolimus (FK506) (ng/mL)		2.9			Not A	vailable
Theophylline (mg/L)			40.0		Not A	vailable
Valproic Acid (mg/L)			150.0		Not A	vailable
WBC (K/uL)		1.9	20.1			

NOTE: Italicized tests are reference send-out tests.

I have reviewed and agree to the Ascend Clinical defined panic values above.

I have reviewed and agree to the Ascend Clinical defined panic values with the exceptions noted above and/or additions noted below:

	Custom Panic Low ≤	Custom Panic High ≥
Title:		
Date:		

Version Date: 01/2020 Page 2 of 2